

REFERENCES

REFERENCES

Aarnikunnas, J. 2006. Metabolic engineering of lactic acid bacteria and characterization of novel enzymes for the production of industrially important compounds. Thesis. University of Helsinki. Helsinki.

Altermann, E., W.M. Russell, M.A. Azcarate-Peril, R. Barrangou, B.L. Bruck, O. McAuliffe, N. Souther, A. Dobson, T. Duong, M. Callanan, S. Lick, A. Hamrick, R. Cano, and T.R. Klaenhammer. 2005. Complete genome sequence of the probiotic lactic acid bacterium *Lactobacillus acidophilus* NCFM. Proceedings of the National Academy of Sciences of the United States of America **102**: 3106-3122.

Altschul, S.F., W. Gish, W. Miller, E.W. Myers, and D.J. Lipman. 1990. Basic Local Alignment Search Tool. Journal of Molecular Biology **215**: 403-410.

Avis, T. and R.R. Bélanger. 2001. Specificity and mode of action of the antifungal fatty acid *cis*-9-heptadecanoic acid produced by *Pseudozyma flocculosa*. Applied and Environmental Microbiology **67**: 956-960.

Axelsson, L. 2004. Lactic acid bacteria: classification and physiology, p. 1-66. *In*: Salminen, S., A. Von Wright, and A. Ouwehand (eds.), Lactic acid bacteria: microbiological and functional aspects. 3rd and Expanded Edition, Marcel Dekker Inc., New York.

Bae, S., G.H. Fleet, and G.M. Heard. 2006. Lactic acid bacteria associated with wine grapes from several Australian vineyards. Journal of Applied Microbiology **100**: 712-727.

Bahnson, B.J., V.E. Anderson, and G.A. Petsko. 2002. Structural mechanism of enoyl-Coa hydratase: three atoms from a single water are added in either an e1cb stepwise or concerted fashion. Biochemistry **41**: 2621-2629.

Banchio, C. and H.C. Gramajo. 1997. Medium- and long chain fatty acid uptake and utilization by *Streptomyces coelicolor* A3(2): first characterization of a Gram-positive bacterial system. *Microbiology* **143**: 2439-2447.

Bardi, L., C. Crivelli, and M. Marzona. 1998. Esterase activity and release of ethyl esters of medium-chain fatty acids by *Saccharomyces cerevisiae* during anaerobic growth. *Canadian Journal of Microbiology* **44**: 1171-1176.

Bathgate, G.N. 2003. History of the development of whisky distillation, p. 1-20. *In*: Russell (ed.), *Whisky: technology, production and marketing*. Academic Press, London, United Kingdom.

Berry, D.R. and C.M. Ramsey. 1983. The whisky fermentation: past, present and future, p. 45-58. *In*: Priest, F.G. and I Campbell (eds.), *Current Development in Malting, Brewing and Distilling*, Aviemore Conference 1982. The Institute of Brewing, London.

Blank, W., H. Takayanagi, T. Kido, F. Meussdoerffer, N. Esaki, and K. Soda. 1991. Transformation of oleic acid and its esters by *Sarcina lutea*. *Agricultural and Biological Chemistry* **55**: 2651-2652.

Bloem, A., A. Bertrand, A. Lonvaud-Funel, and G. de Revel. 2007. Vanillin production from simple phenols by wine-associated lactic acid bacteria. *Letters in Applied Microbiology* **44**: 62-67.

Booyensa, C., L.M. Dicks, I. Meijering, and A Ackermann. 2002. Isolation, identification and changes in the lactic acid bacteria during the malting of two different barley cultures. *International Journal of Food Microbiology* **76**: 63-73.

Bringhurst, T.A., A.L. Fotheringham, and J. Brosnan. 2003. Grain whisky: raw materials and processing, p. 77-109. *In*: Russell, I. (ed.), *Whisky: technology, production and marketing*. Academic Press, London, United Kingdom.

Broun, P., S. Boddupalli, and C. Somerville. 1998. A bifunctional oleate 12-hydroxylase: desaturase from *Lesquerella fendleri*. *The Plant Journal* **13**: 201-210.

Cachat, E. 2005. Diversity of lactic acid bacteria in the malt whisky distillery and their impact on the process. Thesis. Heriot-Watt University. Edinburgh.

Campbell, I. 2003. Wild yeasts in brewing and distilling, p. 247-264. *In*: Priest, F.G. and I. Campbell (eds.), *Brewing Microbiology* 3rd Edition. Kluwer Academic/Plenum Publishers, New York.

Canchaya, C., M.J. Claesson, G.F. Fitzgerald, D. van Sinderen, and P.W. O'Toole. 2006. Diversity of the genus *Lactobacillus* revealed by comparative genomics of five species. *Microbiology* **152**: 3185-3196.

Carballeira, N.M. 2008. New advances in fatty acids as antimalarial, antimycobacterial and antifungal agents. *Progress in Lipid Research* **47**: 50-61.

Catzeddu, P., E. Mura, E. Parente, M. Sanna, and G.A. Farris. 2006. Molecular characterization of lactic acid bacteria from sourdough breads produced in Sardinia (Italy) and multivariate statistical analysis of the results. *Systematic and applied microbiology* **29**: 138-144.

Chaillou, S., M.C. Champomier-Vergès, M. Cornet, A.M. Crutz-Le Coq, A.M. Dudez, V. Martin, S. Beaufile, E. Darbon-Rongère, R. Bossy, V. Loux, and M. Zagorec. 2005. The complete genome sequence of the meat-borne lactic acid bacterium *Lactobacillus sakei* 23K. *Nature Biotechnology* **23**: 1527-1533.

Chavagnat, F., M. Heueter, J. Jimeno, and M.G. Casey. 2002. Comparison of partial *tuf* gene sequences for the identification of lactobacilli. *FEMS Microbiology Letters* **217**: 177-183.

Chen, H., C.K. Lim, Y.K. Lee, and Y.N. Chan. 2000. Comparative analysis of the genes encoding 23S-5S rRNA intergenic spacer regions of *Lactobacillus casei*-related

strains. *International Journal of Systemic and Evolutionary Microbiology* **50**: 471-478.

Claesson, M.J., Y. Li, S. Leahy, C. Canchaya, J.P. van Pijkeren, A.M. Cerdeño-Tárraga, J. Parkhill, S. Flynn, G.C. O'Sullivan, J.K. Collins, D. Higgins, F. Shanahan, G.F. Fitzgerald, D. Van Sinderen, and P.W. O'Toole. 2006. Multireplicon genome architecture of *Lactobacillus salivarius*. *Proceedings of the National Academy of Sciences of the United States of America* **103**: 6718-6723.

Comitini, F., R. Feretti, F. Clementi, I. Mannazzu, and M. Ciani. 2005. Interactions between *Saccharomyces cerevisiae* and malolactic bacteria: preliminary characterization of a yeast proteinaceous compound(s) active against *Oenococcus oeni*. *Journal of Applied Microbiology* **99**: 105-111.

Conner, J., K. Reid, and F. Jack. 2003. Maturation and blending, p. 211-234. *In*: Russell, I. (ed.), *Whisky: technology, production and marketing*. Academic Press, London, United Kingdom.

Craig, H.C. 1994. *The Scotch Whisky Industry Record*. Index Publishing Ltd., Glasgow, United Kingdom.

Cusick, S.M. and D.J. O'Sullivan. 2000. Use of a single, triplicate arbitrarily primed-pcr procedure for molecular fingerprinting of lactic acid bacteria. *Applied and Environmental Microbiology* **66**: 2227-2231.

De Becze, G.I. 1964. Reproduction of distillers' yeast. *Biotechnology and Bioengineering* **6**: 191-221.

De Man, J.D., M. Rogosa, and M.E. Sharpe. 1960. A medium for the cultivation of lactobacilli. *Journal of Applied Bacteriology* **23**: 130-135.

Demeyttenaere, J.C.R., J.I. Sánchez Martínez, R. Verhé, P. Sandra, and N. De Kimpe. 2003. Analysis of volatiles of malt whisky by solid-phase microextraction and stir bar sorptive extraction. *Journal of Chromatography A* **985**: 221-232.

De Oliva-Neto, P., and F. Yokoya. 2001. Susceptibility of *Saccharomyces cerevisiae* and lactic acid bacteria from the alcohol industry to several antimicrobial compounds. *Brazilian Journal of Microbiology* **32**: 10-14.

Dolan, T.C.S. 1976. Some aspects of the impact of brewing science on Scotch whisky fermentations. *Journal of the Institute of Brewing* **82**: 177-181.

Dombek, K.M., and L.O. Ingram. 1987. Ethanol production during batch fermentation with *Saccharomyces cerevisiae*: changes in glycolytic enzymes and internal pH. *Applied and Environmental Microbiology* **53**: 1286-1291.

Du Plessis, E.M. and L.M.T. Dicks. 1995. Evaluation of random amplified polymorphic DNA (RAPD)-PCR as a method to differentiate *Lactobacillus acidophilus*, *Lactobacillus crispatus*, *Lactobacillus amylovorans*, *Lactobacillus gallinarum*, *Lactobacillus gasseri*, and *Lactobacillus johnsonii*. *Current Microbiology* **31**: 114-118.

Eberhard, E.D., J.A. Gerlt. 2004. Evolution of function in the crotonase superfamily: the stereochemical course of the reaction catalyzed by 2-ketocyclohexanecarboxyl-CoA hydrolase. *Journal of the American Chemical Society* **126**: 7188-7189.

El-Sharkawy, S.H., W. Yanf, L. Dostal, and J.P.N. Rosazza. 1992. Microbial oxidation of oleic acid. *Applied and Environmental Microbiology* **58**: 2116-2122.

Endrizzi, A., Y. Pagot, A. le Clainche, J-M. Nicaud, and J-M. Belin. 1996. Production of lactones and peroxisomal beta-oxidation in yeasts. *Critical Reviews in Biotechnology* **16**: 301-329.

Engel, C.K., T.R. Kiema, J. Kalervo Hiltunen, and R.K. Wierenga. 1998. The crystal structure of enoyl-CoA hydratase complexed with octanoyl-CoA reveals the structural adaptations required for binding of a long chain fatty acid-CoA molecule. *Journal of Molecular Biology* **275**: 847-859.

Felis, G.E., and F. Dellaglio. 2007. Taxonomy of lactobacilli and bifidobacteria. *Current Issues in Intestinal Microbiology* **8**: 44-61.

Feron, G., P. Bonnarme, and A. Durand. 1996. Prospects for the microbial production of food flavours. *Trends in Food Science & Technology* **7**: 285-293.

Feussner, I. and H. Kühn. 2005. Application of Lipoxygenases and Related Enzymes for the Preparation of Oxygenated Lipids, p. . *In*: Bornscheuer, U.T. (ed.), *Enzymes in Lipid Modification*. Wiley-VCH Verlag GmbH

Geddes, P.A. and H.L. Rifkin. 1989. Influence of lactic acid bacteria on aldehyde, ester and higher alcohol formation during Scotch whisky fermentations, p. 193-199. *In*: Piggot, J.R. and A Paterson (eds.), *Distilled Beverage Flavour*. Ellis Horwood, Chichester, United Kingdom.

Ghila, S and H. Beinert. 2004. β -Oxidation of fatty acids – a century of discovery. *European Journal of Biochemistry* **271**: 459-461.

Goh, Y.J. and T.R. Klaenhammer. 2009. Genomic Features of *Lactobacillus* species. *Frontiers in Bioscience* **14**: 1362-1386.

Guasch-Jané, M.R., C. Andrés-Lacueva, O. Jáuregui, and R.M. Lamuela-Raventós. 2005. First evidence of white wine in ancient Egypt from Tutankhamun's tomb. *Journal of Archaeological Science* **33**: 1075-1080.

Harrison, B., J. Ellis, D. Broadhurst, K. Reid, R. Goodacre, and F.G. Priest. 2006. Differentiation of peats used in the preparation of malt for Scotch whisky production using Fourier Transform Infrared Spectroscopy. *Journal of the Institute of Brewing* **112**: 333-339.

Hazelwood, L.A., J-M. Daran, A.J.A. van Maris, J.T. Pronk, and J.R. Dickinson. 2008. The Ehrlich pathway for fusel alcohol production: a century of research on

Saccharomyces cerevisiae metabolism. Applied and Environmental Microbiology **74**: 2259-2266.

Hofstein, H.A., Y. Feng, V.E. Anderson, and P.J. Tonge. 1999. Role of glutamate 144 and glutamate 164 in the catalytic mechanism of enoyl-CoA hydratase. Biochemistry **38**: 9508-9516.

Horie, M., H.S. Kajikawa, and T. Toba. 2002. Identification of *Lactobacillus crispatus* by polymerase chain reaction targeting S-layer protein gene. Letters in Applied Microbiology **35**: 57-61.

Hou, C.T. 1994. Production of 10-ketostearic acid from oleic acid by *Flavobacterium* sp. strain DS5 (NRRL B-14859). Applied and Environmental Microbiology **60**(: 3760-3763.

Hou, C.T., T.M. Kuo, and A.C. Lanser. 1999. Production of hydroxyl fatty acids by biocatalysts, p. 213-226. *In*: Knothe, G., and J.T.P. Derksen (eds.), Recent Developments In The Synthesis Of Fatty Acid Derivatives. American Oil Chemists' Society, Urbana, Illinois.

Huang, J.-K., C.T. Hou, and M.O. Bagby. 1991a. Isolation and characterization of oleate hydratase from *Nocardia cholesterolicum* NRRL 5767. Annual Meeting, Society of Industrial Microbiology, Philadelphia, PA, Abstract p. 29.

Huang, J.-K., C.T. Hou, and M.O. Bagby. 1991b. Purification and characterization of oleate hydratase from *Nocardia cholesterolicum* NRRL 5767: physical and chemical properties, 34th West Central States Biochemistry Conference, Ames, IA, Abstract p. 51.

Ishikawa, M., D. Tsuchiya, T. Oyama, Y. Tsunaka, and K. Morikawa. 2004. Structural basis for channelling mechanism of fatty acid β -oxidation multienzyme complex. The EMBO Journal **23**: 2745-2754.

Jack, F. 2003. Development of Guidelines for the Preparation and Handling of Sensory Samples in the Scotch Whisky Industry. *J. Inst. Brew.* **109(2)**: 114-119.

Janda, J.M. and S.L. Abbott. 2007. 16S rRNA gene sequencing for bacterial identification in the diagnostic laboratory: pluses, perils, and pitfalls. *Journal of Clinical Microbiology* **45**: 2761-2764.

Kandler, O. 1983. Carbohydrate metabolism in lactic acid bacteria. *Antonie van Leeuwenhoek* **49**: 209-224.

Kato, T., Y. Yamaguchi, T. Hirano, T. Yokoyama, T. Uyehara, T. Namai, S. Yamanaka, and N. Harada. 1984. Unsaturated hydroxyl fatty acids, the self defence substances in rice plant against rice blast disease. *Chemistry Letters* 409-412.

Kato, T., Y. Yamaguchi, S-I. Ohnuma, T. Uyehara, T. Namai, M. Kodama, and Y. Shiobara. 1986. Structure and synthesis of 11,12,13-trihydroxyl-9Z,15Z-octadecadienoic acids from rice plant suffering from rice blast disease. *Chemistry Letters* 577-580.

Kiema, T.-R., C.K. Engel, W. Schmitz, S.A. Filppula, R.K. Wierenga, and J. Kalervo Hiltunen. 1999. Mutagenic and enzymological studies of the hydratase and isomerase activities of 2-enoyl-CoA hydratase-1. *Biochemistry* **38**: 2991-2999.

Kishimoto, N., I. Yamamoto, K. Toraishi, S. Yoshioka, K. Saito, H. Masuda, and T. Fujita. 2003. Two distinct pathways for the formation of hydroxyl FA from linoleic acid by lactic acid bacteria. *Lipids* **38**: 1269-1274.

Kitazume, T., A. Tanaka, N. Takaya, A. Nakamura, S. Matsuyama, T. Suzuki, and H. Shoun. 2002. Kinetic analysis of hydroxylation of saturated fatty acids by recombinant P450foxy produced by an *Escherichia coli* expression system. *European Journal of Biochemistry* **269**: 2075-2082.

Klaenhammer, T.R., R. Barrangou, B.L. Buck, M.A. Azcarate-Peril, and E. Altermann. 2005. Genomic features of lactic acid bacteria affecting bioprocessing and health. *FEMS Microbiology Reviews* **29**: 393-409.

Kleerebezem, M., J. Boekhorst, R. van Kranenburg, D. Molenaar, O.P. Kuipers, R. Leer, R. Tarchini, S.A. Peters, H.M. Sandbrink, M.W.E.J. Fiers, W. Stiekema, R.M.K. Lankhorst, P.A. Bron, S.M. Hoffer, M.N. Nierop Groot, R. Kerkhoven, M. de Vries, B. Ursing. W.M. de Vos, and R.J. Siezen. 2003. Complete genome sequence of *Lactobacillus plantarum* WCFS1. *Proceedings of the National Academy of Sciences of the United States of America* **100**: 1990-1995.

Konings, W.N., J. Kok, O.P. Kuipers, and B. Poolman. 2000. Lactic acid bacteria: the bugs of the new millennium. *Current Opinion in Microbiology* **3**: 276-282.

Koritala, S., L. Hosie, C.T. Hou, C.W. Hesseltine, and M.O. Bagby. 1989. Microbial conversion of oleic acid to 10-hydroxystearic acid. *Applied Microbiology and Biotechnology* **32**: 299-304.

Kullen, M.J., R.B. Sanozky-Dawes, D.C. Crowell, and T. Klaenhammer. 2000. Use of the DNA sequence of variable regions of the 16S rRNA gene for rapid and accurate identification of the bacteria in the *Lactobacillus acidophilus* complex. *Journal of Applied Microbiology* **89**: 511-516.

Kuroda, H., H. Kojima, H. Kaneda, and M. Takashio. 2005. Characterization of 9-fatty acid hydroperoxide lyase-like activity in germinating barley seeds that transforms 9(*S*)-hydroperoxy-10(*E*),12(*Z*)-octadecadienoic acid into 2(*E*)-nonenal. *Bioscience Biotechnology and Biochemistry* **69**: 1661-1668.

Land, M.H., K. Rouster-Stevens, C.R. Woods, M.L. Cannon, J. Cnota, and A.K. Shetty. 2005. *Lactobacillus* sepsis associated with probiotic therapy. *Pediatrics* **115**: 178-181.

Lanser, A.C. 1993. Conversion of oleic acid to 10-ketostearic acid by *Staphylococcus* sp. *Journal of the American Oil Chemistry Society* **70**: 543-545.

Larkin, M.A., G. Blackshields, N.P. Brown, R. Chenna, P.A. McGettigan, H. McWilliam, F. Valentin, I.M. Wallace, A. Wilm, R. Lopez, J.D. Thompson, T.J. Gibson, and D.G. Higgins. 2007. Clustal W and Clustal X version 2.0. *Bioinformatics* **23**: 2947-2948.

Liong, M.T. 2008. Safety of probiotics: translocation and infection. *Nutrition Reviews* **66**: 192-202.

Litchfield, J.H. and G.E. Pierce. 1986. Microbiological synthesis of hydroxyl-fatty acids and keto-fatty acids. U.S. Patent 4,582,804.

Lowe, D.P. and E.K. Arendt. 2004. The use and effects of lactic acid bacteria in malting and brewing with their relationships to antifungal activity, mycotoxins and gushing: a review. *Journal of the Institute of Brewing* **110**: 163-180.

Lyons, T.P. 1999. Production of Scotch and Irish whiskies: their history and evolution, p.137-168. *In*: Jacques, K.A., T.P. Lyons, and D.R. Kelsall (eds.), *The Alcohol Textbook*, third edition. Nottingham University Press, Nottingham, United Kingdom.

Magnusson, J. 2003. Antifungal activity of lactic acid bacteria. Thesis. Swedish University of Agricultural Sciences, Uppsala.

Makanjola, D.B., A. Tymon, and D.G. Springham. 1992. Some effects of lactic acid bacteria on laboratory-scale yeast fermentations. *Enzyme and Microbial Technology* **14**: 350-357.

Makarova, K., A. Slesarev, Y. Wolf, A. Sorokin, B. Mirkin, E. Koonin, A. Pavlov, N. Pavlova, V. Karamychev, N. Polouchine, V. Shavkhova, I. Grigoriev, Y. Lou, D. Rohksar, S. Lucas, K. Huang, D.M. Goodstein, T. Hawkins, V. Plengvidhya, D. Welker, J. Hughes, Y. Goh, A. Benson, K. Baldwin, J.-H. Lee, I. Diaz-Muñiz, B. Dosti, V. Smeianov, W. Wechter, R. Barabote, G. Lorca, E. Alterman, R. Barrangou, B. Ganesan, Y. Xie, H. Rawsthorne, D. Tamir, C.

Parker, F. Breidt, J. Broadbent, R. Hutkins, D. O'Sullivan, J. Steele, G. Unlu, M. Saier, T. Klaenhammer, P. Richardson, S. Kozyavkin, B. Weimer, and D. Mills. 2006. Comparative genomics of the lactic acid bacteria. *Proceedings of the National Academy of Sciences of the United States of America* **103**: 15611-15616.

Makarova, K.S., and E.V. Koonin. 2007. Evolutionary genomics of lactic acid bacteria. *Journal of Bacteriology* **189**: 1199-1208.

Maurer, S.C. and R.D. Schmid. 2005. Biocatalysts for the epoxidation and hydroxylation of fatty acids and fatty alcohols, c. 4, p. 1-18. *In*: Hou, C.T. (ed.), *Handbook of Industrial Biocatalysis*. Taylor and Francis, London and New York.

McGovern, P.E., J. Zhang, J. Tang, Z. Zhang, G.R. Hall, R.A. Moreau, A. Nuñez, E.D. Butrym, M.P. Richards, C-s. Wang, G. Cheng, Z. Zhao, and C. Wang. 2004. Fermented beverages of pre- and proto-historic China. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 17593-17598.

Morvan, B., and K.N. Joblin. 2000. Hydration of oleic acid by *Enterococcus gallinarum*, *Pediococcus acidilactici* and *Lactobacillus* sp. isolated from the rumen. *Anaerobe* **5**: 605-611.

Moseley, M.E., D.J. Nash, P.R. Williams, S.D. de France, A. Miranda, and M. Ruales. 2005. Burning down the brewery: Establishing and evacuating an ancient imperial colony at Cerro Baúl, Peru. *Proceedings of the National Academy of Sciences of the United States of America* **102**: 17264-17271.

Müller-Newen, G., U. Janssen, and W. Stoffel. 1995. Enoyl-CoA hydratase and isomerise form a superfamily with a common active-site glutamate residue. *European Journal of Biochemistry* **228**: 68-73.

Narendranath, N.V., S.H. Hynes, K.C. Thomas, and W.M. Ingledew. 1997. Effects of lactobacilli on yeast-catalyzed ethanol fermentations. *Applied and Environmental Microbiology* **63**: 4158-4163.

Narendranath, N.V., K.C. Thomas, and W.M. Ingledew. 2001. Acetic acid and lactic acid inhibition of growth of *Saccharomyces cerevisiae* by different mechanisms. *Journal of the American Society of Brewing Chemists* **59**: 187-194.

Naser, S.M., F.L. Thompson, B. Hoste, D. Gevers, P. Dawyndt, M. Vancanneyt, and J. Swings. 2005. Application of multilocus sequence analysis (MLSA) for rapid identification of *Enterococcus* species based on *rpoA* and *pheS* genes. *Microbiology* **151**: 2141-2150.

Naser, S.M., P. Dawyndt, B. Hoste, D. Gevers, K. Vandemeulebroecke, I. Cleenwerck, M. Vancanneyt, and J. Swings. 2007. Identification of lactobacilli by *pheS* and *rpoA* gene sequence analyses. *International Journal of Systematic and Evolutionary Microbiology* **57**: 2777-2789.

Neri, L. 2006. The involvement of wild yeast in malt whisky fermentations. Thesis. Heriot-Watt University, Edinburgh.

Neves, A.R., W.A. Pool, J. Kok, O.P. Kuipers, and H. Santos. 2005. Overview on sugar metabolism and its control in *Lactococcus lactis* – the input from *in vivo* NMR. *FEMS Microbiology Reviews* **29**: 531-554.

Nicol, D. 1989. Batch distillation, p. 188-147. *In*: Piggot, J.R., R. Sharp, and R.E.B. Duncan (eds.), *The science and technology of whiskies*. Longman Scientific & Technical, Harlow, UK.

Niehaus Jr, W.G., A. Kusic, A. Torkelson, D.J. Bednarczyk, and G.J. Schroepfer Jr. 1970. Stereospecific hydration of the Δ^9 double bond of oleic acid. *Journal of Biological Chemistry* **245**: 3790-3707.

Niehaus Jr, W.G., T. Frielle, and E.A. Kingsley Jr. 1978. Purification and characterization of a secondary alcohol dehydrogenase from a *pseudomonad*. Journal of Bacteriology **134**: 177-183.

Ogawa, J., K. Matsumura, S. Kishino, Y. Omura, and S. Shimizu. 2001. Conjugated linoleic acid during microaerobic transformation of linoleic acid by *Lactobacillus acidophilus*. Applied and Environmental Microbiology **67**: 1246-1252.

Ogawa, J., S. Kishino, A. Ando, S. Sugimoto, K. Mihara, and S. Shimizu. 2005. Production of conjugated fatty acids by lactic acid bacteria. Journal of Bioscience and Bioengineering **100**: 355-364.

Olive, M. and P. Bean. 1999. Principles and application of methods for DNA-based typing of microbial organisms. Journal of Clinical Microbiology **37**: 1661-1669.

Orla-Jensen, S. 1919. The Lactic Acid Bacteria. Copenhagen: Host.

Palmer, G.H. 1997. Scientific review of Scotch malt whisky. Ferment **10**: 367-379.

Passoth, V., J. Blomqvist, and J. Schnürer. 2007. *Dekkera bruxellensis* and *Lactobacillus vini* form a stable ethanol-producing consortium in a commercial alcohol production process. Applied and Environmental Microbiology **73**: 4354-4356.

Pawar, S. and H. Schulz. 1981. The Structure of the multienzyme complex of fatty acid oxidation from *Escherichia coli*. Journal of Biological Chemistry **256**: 3894-3899.

Pfeiler, E.A., and T.R. Klaenhammer. 2007. The genomics of lactic acid bacteria. Trends in Microbiology **15**: 546-553.

Piggott, J.R. and A. Paterson. 1989. Recent developments in distilled beverage flavour. UK: VCH Publishers Ltd.

Piggott, J.R., R. Sharp and R.E.B. Duncan. 1989. The science and technology of whiskies. Longman Scientific & Technical, Harlow, UK.

Piggott, J.R. and J.M. Conner. 1995. Whiskies, p. 247-274. *In:* Lea, A.G.H. and J.R. Piggot (eds.), Fermented beverage production. Blackie Academic & Professional, Glasgow, UK.

Pinot, F., M. Skrabs, V. Compagnon, J.-P. Salaün, I. Benveniste, L. Schreiber, and F. Durst. 2000. ω -Hydroxylation of epoxy- and hydroxyl-fatty acids by CYP94A1: possible involvement in plant defence. *Biochemical Society Transactions* **28**: 867-870.

Plengvidhya, V., F. Breidt Jr, and H.P. Fleming. 2004. Use of RAPD-PCR as a method to follow the progress of starter cultures in sauerkraut fermentation. *International Journal of Food Microbiology* **93**: 287-296.

Poolman, B. 2002. Transporters and their roles in LAB cell physiology. *Antonie Van Leeuwenhoek* **82**: 147-164.

Pridmore, R.D., B. Berger, F. Desiere, D. Vilanova, C. Barretto, A.C. Pittet, M.C. Zwahlen, M. Rouvet, E. Altermann, R. Barrangou, B. Mollet, A. Mercenier, T. Klaenhammer, F. Arigoni, and M.A. Schell. 2004. The genome sequence of the probiotic intestinal bacterium *Lactobacillus johnsonii* NCC 553. *Proceedings of the National Academy of Sciences of the United States of America* **101**: 2512-2517.

Reid, G., M.E. Sanders, H.R. Gaskins, G.R. Gibson, A. Mercenier, R. Rastall, M. Roberfroid, I. Rowland, C. Cherbut, and T.R. Klaenhammer. 2003. New Scientific Paradigms for Probiotics and Prebiotics. *Journal of Clinical Gastroenterology* **37(2)**: 105-118.

Romano, A.H., J.D. Trifone, and M. Brustolon. 1979. Distribution of the phosphoenolpyruvate:glucose phosphotransferase system in fermentative bacteria. *Journal of Bacteriology* **139**: 93-97.

Rossetti, L. and G. Giraffa. 2005. Rapid identification of dairy lactic acid bacteria by M13-generated, RAPD-PCR fingerprint databases. *Journal of Microbiological Methods* **63**: 135-144.

Russell, I. (ed.). 2003. *Whisky: technology, production and marketing.* Academic Press, London, San Diego.

Saier, M.H. Jr, J.J. Ye, S. Klinke, and E. Nino. 1996. Identification of an anaerobically induced phosphoenolpyruvate-dependent fructose-specific phosphotransferase system and evidence for the Embden-Meyerhof glycolytic pathway in the heterofermentative bacterium *Lactobacillus brevis*. *Journal of Bacteriology* **178**: 314-316.

Sakuma, S., K. Kobayashi, K. Tayama, and H. Yokoyama. 1996. Formation of sweet flavour compounds during fermentation. *Journal of the American Society of Brewing Chemists* **54**: 37.

Schrader, J., M.M.W. Etschmann, D. Sell, J-M. Hilmer, and J. Rabenhorst. 2004. Applied biocatalysis for the synthesis of natural flavour compounds – current industrial processes and future prospects. *Biotechnology Letters* **26**: 463-472.

Schrader, J. 2007. Microbial Flavour Production, p. 507-574. *In: Berger, R.G. (ed.), Flavours and Fragrances – Chemistry, Bioprocessing and Sustainability.* Springer, Berlin, Heidelberg, and New York.

Schroepfer Jr, G.J. 1966. Stereospecific conversion of oleic acid to 10-hydroxystearic acid. *Journal of Biological Chemistry* **241**: 5441-5447.

Schwaneberg, U., C. Schmidt-Dannert, J. Schmitt, and R.D. Schmid. 1999. A continuous spectrophotometric assay for P450 BM-3, a fatty acid hydroxylating enzyme, and its mutant F87A. *Analytical Biochemistry* **269**: 359-366.

Schwaneberg, U. and U.T. Bornscheuer. 2000. Fatty Acid Hydroxylations Using P450 Monooxygenases, p. 394-414. *In:* Bornscheuer, U.T. (ed.), *Enzymes In Lipid Modification*. Wiley-VCH.

Scotch Whisky Act. 1988. Office of Public Sector Information. Public Acts 1988, c. 22.

Scotch Whisky Order. 1990. Office of Public Sector Information. Statutory Instrument 1990, No. 998.

Scott, R., and W.C. Sullivan. 2008. Ecology of fermented foods. *Research in Human Ecology* **15**: 25-31.

Seo, C.W., Y. Yamada, N. Takada, and H. Okada. 1981. Hydration of squalene and oleic acid by *Corynebacterium* sp. S-401. *Agricultural and Biological Chemistry* **45**: 2025-2030.

Simpson, K.L., B. Pettersson, and F.G. Priest. 2001. Characterization of lactobacilli from Scotch malt whisky distilleries and description of *Lactobacillus ferintoshensis* sp. nov., a new species isolated from malt whisky fermentations. *Microbiology* **147**: 1007-1016.

Sjörger, J., J. Magnusson, A. Broberg, J. Schnürer, and L. Kenne. 2003. Antifungal 3-hydroxyl fatty acids from *Lactobacillus plantarum* MiLAB 14. *Applied and Environmental Microbiology* **69**: 7554-7557.

Smit, G., B.A. Smit, and W.J.M. Engels. 2005. Flavour formation by lactic acid bacteria and biochemical flavour profiling of cheese products. *FEMS Microbiology Reviews* **29**: 591-610.

Smith, M., H. Moon, and L. Kunst. 2000. Production of hydroxyl fatty acids in the seeds of *Arabidopsis thaliana*. *Biochemical Society Transactions* **28**: 947-950.

Soda, K. and T. Kido. 1987. Manufacture of hydroxyl unsaturated fatty acids with *Bacillus pumulis*, Japanese Kokai Tokkyo Koho JP 01051092 A2 890227 Heisei, Application JP 87-207994.

Sovrano, S. S. Buiatty, and M. Anese. 2006. Influence of malt browning degree on lipoxygenase activity. *Food Chemistry* **99**: 711-717.

Spano, G., L. Beneduce, L. De Palma, M. Quinto, A. Vernile, and S. Massa. 2006. Characterization of wine *Lactobacillus plantarum* by PCR-DGGE and RAPD-PCR analysis and identification of *Lactobacillus plantarum* strains able to degrade arginine. *World Journal of Microbiology and Biotechnology* **22**: 769-773.

Stiles, M.E., and W.H. Holzapfel. 1997. Lactic acid bacteria of foods and their current taxonomy. *International Journal of Food Microbiology* **36**: 1-29.

Ström, K. 2005. Fungal Inhibitory Lactic Acid Bacteria. Thesis. Swedish University of Agricultural Sciences. Uppsala.

Takeuchi, A., K. Iijima, K. Sozuki, K. Ozaki, and H. Yamashita. 2005. Application of ribotyping and rDNA internal space analysis (RISA) for assessment of microflora in brewery environments. *Journal of the American Society of Brewing Chemists* **63**: 73-75.

Thieringer, R. and W.-H. Kunau. 1991. The β -oxidation system in catalase-free microbodies of the filamentous fungus *Neurospora crassa*. *Journal of Biological Chemistry* **266**: 13110-13117.

Thomas, K.C., S.H. Hynes, and W.M. Ingledew. 2001. Effect of lactobacilli on yeast growth, viability and batch and semi-continuous alcoholic fermentation of corn mash. *Journal of Applied Microbiology* **90**: 819-828.

Van Beek, S., and F.G. Priest. 2000. Decarboxylation of substituted cinnamic acids by lactic acid bacteria isolated during malt whisky fermentation. *Applied and Environmental Microbiology* **66**: 5322-5328.

Van Beek, S. 2001. Microbial ecology of malt whisky fermentations: biodiversity and sensory impact of lactic acid bacteria. Thesis. Heriot-Watt University. Edinburgh.

Van Beek, S., and F.G. Priest. 2002. Evolution of the lactic acid bacterial community during malt whisky fermentation: a polyphasic study. *Applied and Environmental Microbiology* **68**: 297-305.

Van Beek, S., and F.G. Priest. 2003. Bacterial diversity in Scotch whisky fermentations as revealed by denaturing gradient gel electrophoresis. *Journal of the American Society of Brewing Chemists* **61**: 10-14.

Van de Guchte, M., S. Penaud, C. Grimaldi, V. Barbe, K. Bryson, P. Nicolas, C. Robert, S. Oztas, S. Mangenot, A. Couloux, V. Loux, R. Dervyn, R. Bossy, A. Bolotin, J.M. Batto, T. Walunas, J.F. Gibrat, P. Bessières, J. Weissenbach, S.D. Ehrlich, and E. Maguin. 2006. The complete genome sequence of *Lactobacillus bulgaricus* reveals extensive and ongoing reductive evolution. *Proceedings of the National Academy of Sciences of the United States of America* **103**: 9274-9279.

Van der Meulen, R., I. Scheirlinck, A. van Schoor, G. Huys, M. Vancanneyt, P. Vandamme, and L. de Vuyst. 2007. Population dynamics and metabolite target analysis of lactic acid bacteria during laboratory fermentations of wheat and spelt sourdoughs. *Applied and Environmental Microbiology* **73**: 4741-4750.

Viegas, C.A., M.F. Rosa, I. Sá-Correia, and J.M. Novais. 1989. Inhibition of Yeast Growth by Octanoic and Decanoic Acids Produced during Ethanolic Fermentation. *Applied and Environmental Microbiology* **55(1)**: 21-28.

Viljoen, B.C. 2001. The interaction between yeasts and bacteria in dairy environments. *International Journal of Food Microbiology* **69**: 37-44.

Waché, Y., M. Aguedo, A. Choquet, I.L. Gatfield, J-M. Nicaud, and J-M Belin. 2001. Role of β -oxidation enzymes in γ -decalactone production by the yeast *Yarrowia lipolytica*. Applied and Environmental Microbiology **67**: 5700-5704.

Wallen, L.L., R.G. Benedict, and R.W. Jackson. 1962. The microbial production of 10-hydroxystearic acid. Archives of Biochemistry and Biophysics **99**: 249-253.

Walter, J., G.W. Tannock, A. Tilsala-Timisjarvi, S. Rodtong, D.M. Loach, K. Munro, and T. Alatossava. 2000. Detection and identification of gastrointestinal *Lactobacillus* species by using denaturing gradient gel electrophoresis and species-specific PCR primers. Applied and Environmental Microbiology **66**: 297-303.

Wanikawa, A., K. Hosoi, and T. Kato. 2000a. Conversion of unsaturated fatty acids to precursors of γ -lactones by lactic acid bacteria during the production of malt whisky. Journal of the American Society of Brewing Chemists **58**: 51-56.

Wanikawa, A., K. Hosoi, I. Takise, and T. Kato. 2000b. Detection of γ -lactones in malt whisky. Journal of the Institute of Brewing **106**: 39-43.

Wanikawa, A., K. Hosoi, T. Kato, K-I. Nakagawa. 2002a. Identification of green note compounds in malt whisky during multidimensional gas chromatography. Flavour and Fragrance Journal **17**: 207-211.

Wanikawa, A., H. Shoji, K. Hosoi, and K-I. Nakagawa. 2002b. Stereospecificity of 10-hydroxystearic acid and formation of 10-ketostearic acid by lactic acid bacteria. Journal of the American Society of Brewing Chemists **60**: 14-20.

Watson, D.C. 1993. Spirits. *In*: Encyclopedia of industrial chemistry. Edited by Ullmann's. Germany: VCH Verlagsgesellschaft.

Yang, W., L. Dostal, and J.P.N. Rosazza. 1993. Stereospecificity of microbial hydrations of oleic acid to 10-hydroxystearic acid. Applied and Environmental Microbiology **59**: 281-284.

Yu, W., X. Chu, G. Deng, X. Liu, G. Chen, D. Li. 2006. Mutation of Lys242 allows Δ^3 - Δ^2 -enoyl-CoA isomerise to acquire enoyl-CoA hydratase activity. *Biochimica et Biophysica Acta* **1760**: 1874-1883.